

ANFT74ER STAR 70 SERIES 400MM WIDE ELECTRIC FRY-TOP WITH RIBBED PLATE

Electric fry-top with single cooking zone with ribbed sloping hotplate, constructed in AISI 304 stainless steel. 1.5 mm thick top. Hotplate recessed 40 mm compared to worktop, fully welded construction for guaranteed ease of cleaning. Satin finish cooking surface with 65 mm cold zone at front of hotplate. Round drain hole for grease, diam. 40 mm. Grease collection tub with 1.5 litre capacity. Heating by means of armoured elements in Incoloy. Activation of heating signalled by an indicator led on the control panel. Cooking temperature thermostatically controlled, with adjustment from 110 to 280 °C. Safety thermostat trips in the event of working thermostat malfunction. Cooking surface 335x530 mm. Scraper for ribbed hotplate supplied.

STANDARD FEATURES

- 1.5mm thick pressed stainless steel tops
- Modular design
- Interlocking device supplied with all units
- Scraper for ribbed hotplate supplied

OPTIONAL FEATURES


- Cabinet base and doors
- · Hygenic cabinet base with pressed runners


on refrigerated base or countertop

50mm stainless steel frame for worktop installed

Refrigerated base







LEGEND

E = Socket

DIMENSIONS

External: 730D x 400W x 250H mm Plate Dimensions: 530D x 335W mm

TECHNICAL DATA

Power Supply: 400V 3NAC 50Hz (Lead & Plug not included) Total Output: 5.4kW


SHIPPING DATA

Net Weight: 38kg

Shipping Weight: 46kg

Shipping Dimensions: 440W x 840L x 550H mm

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.





() www.comcater.com.au () contactus@comcater.com.au