

Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:18/08/2021 Revision date:18/08/2021 Supersedes:26/08/2019 Version: 3.0 SDS No: 00625-0063

1.1. GHS Pro	duct identifier				
Product form : Product name :		Mixture Cleaner tab for all RATIONAL SelfCookingCenter® and CombiMaster® Plus models with automatic cleaning, ArtNr. 56.00.206, 56.00.210, 56.00.220			
1.2. Other me	eans of identification				
No additional in	formation available				
1.3. Recomm	ended use of the chemical and re	estrictions on use			
Recommended		Cleaning agent For professional users only			
1.4. Details o	f manufacturer or importer				
Supplier Rational AG Siegfried-Meister-Straße 1 Landsberg D-86899 Germany T +49 8191 327-236 - F +49 8191 327-72 236 E-mail address of competent person responsible for the		Importer COMCATER Pty. Ltd. 156 Swann Drive Derrimut Victoria 3026, Australia T +61 (0) 3 8369 4600 - F +61 (0) 3 8369 4666 www.comcater.com.au e SDS: reinigung@rational-online.de			
1.5. Emergen	icy phone number				
Emergency num	nber :	Emergency CONTACT (24-Hour-N	lumber): GBK GmbH +4	9 (0)6132-84463	
Country	Organisation/Company	Address	Emergency number	Comment	
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26		
			·	·	
SECTION 2:	Hazard identification				
2.1. Classific	ation of the hazardous chemical				
Skin corrosion/i	according to the model Work Health a rritation, Category 1 nage/eye irritation, Category 1	nd Safety Regulations (WHS Reg H314 H318	gulations)		
2.2. GHS Lab	el elements, including precautior	nary statements			
Hazard pictogra					

#### 18/08/2021 (Revision date)

# Cleaner tab for all RATIONAL SelfCookingCenter® and CombiMaster® Plus models with automatic cleaning, Art.-Nr. 56.00.206, 56.00.210, 56.00.220

### Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

Contains	: Sodium hydroxide (30 - 60 %); disodium metasilicate (10 - < 20 %); Fatty alcohol alkoxylates (< 5 %)
Hazard statements (GHS AU)	: H314 - Causes severe skin burns and eye damage
Hazard statements (GHS AU) Precautionary statements (GHS AU)	<ul> <li>H314 - Causes severe skin burns and eye damage</li> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P280 - Wear protective gloves, eye protection, face protection.</li> <li>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water .</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER or doctor.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in</li> </ul>
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

#### No additional information available

### **SECTION 3: Composition and information on ingredients**

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sodium hydroxide	1310-73-2	30 - 60	Skin Corr. 1A, H314
disodium metasilicate	6834-92-0	10 - < 20	Skin Corr. 1B, H314 STOT SE 3, H335
Sodium carbonate	497-19-8	10 - 20	Eye Irrit. 2A, H319
Fatty alcohol alkoxylates	111190-40-0	< 5	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Other substances (not contributing to the classification of this product)	-	< 45	Not classified

### SECTION 4: First aid measures

4.1. Description of necessary first-aid measures				
First-aid measures general	: Take off immediately all contaminated clothing. Call a physician immediately.			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.			
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.			
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.			
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.			



Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

4.2. Symptoms caused by exposure				
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Serious damage to eyes. : Burns.			
4.3. Medical attention and special treatmer	it			
Treatment	: Treat symptomatically.			
SECTION 5: Fire-fighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. : Strong water jet.			
5.2. Specific hazards arising from the cher	nical			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Special protective equipment and pred	autions for fire-fighters			
Firefighting instructions Protection during firefighting Hazchem Code	<ul> <li>Do not allow run-off from fire fighting to enter drains or water courses.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> <li>2X</li> </ul>			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				

6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up				
Methods for cleaning up	: Mechanically recover the product.			

SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.				
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				

AU - en



:

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Information on mixed storage Packaging materials

: Store locked up. Store in a well-ventilated place. Keep cool. Acids. : Don't use packaging made out of aluminium, zinc or tin.

**SECTION 8: Exposure controls and personal protection** 

8.1. Control parameters - exposure standards			
Sodium hydroxide (1310-73-2)			
Australia - Occupational Exposure Limits			
Local name	Sodium hydroxide		
OES C	2 mg/m³		
Regulatory reference	Workplace exposure standards for airborne contaminants (2019)		

#### 8.2. Biological Monitoring

No additional information available

8.3. Engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

: Please follow the instructions related to the permeability and the penetration time provided

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection

by the manufacturer						
Туре	Material		Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Natural rubber		6 (> 480 minutes)	0,6		EN ISO 374
Eye protection : tightly fitting safety goggles. Eyewash bottle with clean water (EN 15154). Safety gla					). Safety glasses	
Skin and body protection :			Wear suitable protective clothing			
Respiratory protection :			In case of insufficient ventilation, wear suitable respiratory equipment			
Personal protective equipment symbol(s)						

#### onal protective equipment symbol(s)



Environmental exposure controls

: Avoid release to the environment.

Physical state	: Solid
Appearance	: No data available
Colour	: White
Odour	: characteristic
Odour threshold	: No data available
рН	: 12.7
	1 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Freezing point: Not applicable





Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density: 1100 g/l @ 20°C
	Relative density: Not applicable
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: No data available
Explosive limits	: Not applicable
Minimum ignition energy	: No data available
VOC content	: < 3 %
Fat solubility	: No data available

<b>SECTION 10:</b>	Stability and	reactivity
	orability and	reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Exothermic reaction on contact with : Acids.
Conditions to avoid	: Moisture.
Incompatible materials	: Acids. metals.
Hazardous decomposition products	: Hydrogen. irritating gases. corrosive gas.

### **SECTION 11: Toxicological information**

Acute toxicity (oral)	ot classified	
Acute toxicity (dermal)	ot classified	
Acute toxicity (inhalation)	ot classified	
Skin corrosion/irritation	auses severe skin burns.	
	H: 12.7	
Serious eye damage/irritation	auses serious eye damage.	
	H: 12.7	
Respiratory or skin sensitisation	ot classified	
Germ cell mutagenicity	ot classified	
Carcinogenicity	ot classified	
Reproductive toxicity	ot classified	
STOT-single exposure	ot classified	
disodium metasilicate (6834-92-0)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	ot classified	
Aspiration hazard	ot classified	

SECTION 12: Ecological information	
12.1. Ecotoxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	<ul> <li>Before neutralisation, the product may represent a danger to aquatic organisms.</li> <li>Not classified</li> </ul>



Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

Hazardous to the aquatic environment, long-term : Not classified (chronic)

12.2. Persistence and degradability

disodium metasilicate (6834-92-0)

Not rapidly degradable

Sodium carbonate (497-19-8)

Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone

Other adverse effects

: Not classified

: No additional information available

Cleaner tab for all RATIONAL SelfCookingCenter® and CombiMaster® Plus models with automatic cleaning, ArtNr. 56.00.206, 56.00.210, 56.00.220		
Fluorinated greenhouse gases	False	
Fatty alcohol alkoxylates (111190-40-0)		
Fluorinated greenhouse gases	False	
disodium metasilicate (6834-92-0)		
Fluorinated greenhouse gases	False	
Sodium carbonate (497-19-8)		
Fluorinated greenhouse gases	False	
Sodium hydroxide (1310-73-2)		
Fluorinated greenhouse gases	False	
Other substances (not contributing to the classification of this product)		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations		
Waste treatment methods	:	Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Recycling is preferred to disposal or incineration. Empty remaining contents. Do not re-use empty containers without proper cleaning or reconditioning. Dirty containers cannot be handled as normal waste.



Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
3262	3262	3262
14.2. UN Proper Shipping Name		•
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide ; disodium metasilicate)	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide ; disodium metasilicate)	Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide ; disodium metasilicate
14.3. Transport hazard class(es)		
8	8	8
B	B	B
14.4. Packing group		
II - substances presenting medium danger	Ш	П
14.5. Environmental hazards		1
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
14.6. Special precautions for user		
Specific storage requirement Shock sensitivity	<ul><li>No data available</li><li>No data available</li></ul>	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail JN-No. (ADG) Special provision (ADG) Limited quantities (ADG) Excepted quantities (ADG) Packing instructions (ADG) Portable tank and bulk container instructions (ADC) Portable tank and bulk container special provision (ADG)		
Transport by sea JN-No. (IMDG) Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) BC packing instructions (IMDG) BC special provisions (IMDG) Tank instructions (IMDG)	: 3262 : 274 : 1 kg : E2 : P002 : IBC08 : B21, B4 : T3 : TP33	



Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: B
MFAG-No	: 154
Air transport	
UN-No. (IATA)	: 3262
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

#### 14.8. Hazchem or Emergency Action Code

Hazchem Code

: 2X

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations specific for the product in question

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : All components of this mixture are listed on or exempted from AICS Inventory) status

#### **15.2. International agreements**

No additional information available



Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

Abbreviations and acronyms	: IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative PBT - Persistent Bioaccumulative Toxic
	PBT - Persistent Bloaccumulative Toxic PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	ADG - Transport of Australian Dangerous Goods
	BLV - Biological limit value
	BOD - Biochemical oxygen demand (BOD)
	COD - Chemical oxygen demand (COD)
	DMEL - Derived Minimal Effect level
	DNEL - Derived-No Effect Level
	EC-No European Community number
	EC50 - Median effective concentration
	EN - European Standard
	LOAEL - Lowest Observed Adverse Effect Level
	NOAEC - No-Observed Adverse Effect Concentration
	NOAEL - No-Observed Adverse Effect Level
	NOEC - No-Observed Effect Concentration
	OECD - Organisation for Economic Co-operation and Development
	OEL - Occupational Exposure Limit
	SDS - Safety Data Sheet
	STP - Sewage treatment plant
	ThOD - Theoretical oxygen demand (ThOD)
	TLM - Median Tolerance Limit
	VOC - Volatile Organic Compounds
	CAS-No Chemical Abstract Service number
	N.O.S Not Otherwise Specified
	ED - Endocrine disrupting properties
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemic
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution
	From Ships
Revision date	: 18/08/2021

### Safety Data Sheet

Other information

Skin Corr. 1B

STOT SE 3

H314

H318

H319

H335

H400

H411

according to the Model Work Health and Safety Regulations SDS No: 00625-0063

	employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.
Classification	
Skin Corr. 1	H314
Eye Dam. 1	H318
Full text of H-statements	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A

Skin corrosion/irritation, Category 1B

Causes severe skin burns and eye damage

Toxic to aquatic life with long lasting effects

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular

Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.

Causes serious eye damage

Causes serious eye irritation

Very toxic to aquatic life

May cause respiratory irritation

